
## Regulator

#### IR1200-A/2200-A/3200-A Series



ARJ

AR425 to 935

AMR ARM

ARP

R■:A

IRV VEX

SRH

SRP SRF

ITV IC

ITVH ITVX


VY1
VBA
VBAT


AP100

### Reduction in air consumption


#### Air consumption is reduced with a new original structure.

With this new original structure, running costs are reduced.






\* Poor quality of air may cause operation failure. Select a model that is suitable for the desired air cleanliness by referring to "Air Preparation Equipment Model Selection Guide" (pages 2 and 3) for air quality.



#### Flow rate: Up to approx. twice

(Compared to the	current SMC product	[L/min (ANR)]
IR	Current model	Series
720	320	IR1200-A
1900	940	IR2200-A
5000	4000	IR3200-A

Supply pressure: 0.7 MPa



Supply pressure: 0.7 MPa




AMR

VEX

SRF

AP100





#### Exhaust (EXH) directions can be selected. (IR3200-A series) Bottom and front exhaust added. Bottom Front Rear exhaust exhaust exhaust OUT OUT OUT **EXH EXH EXH**


**SMC** 


#### Application Examples


# Constant fluid pressure Note) Since there is a large effective area for supply and exhaust pressure, setting can be done quickly.











Note) The set pressure may vary depending on the elapsed time and change in ambient temperature after pressure setting. If the setting value varies, adjust the pressure with the knob.

#### Series Variations

		Series	Model	Set pressure range (MPa)	Port size
	IR1200-A	7	IR1200-A	0.02 to 0.2	
		G PO	IR1210-A	0.02 to 0.4	1/8
(qo			IR1220-A	0.02 to 0.8	
e (Knob)	IR2200-A		IR2200-A	0.02 to 0.2	
Typ		G win	IR2210-A	0.02 to 0.4	1/4
Basic Type			IR2220-A	0.02 to 0.8	
	IR3200-A		IR3200-A	0.02 to 0.2	
		E.H	IR3210-A	0.02 to 0.4	1/4, 3/8, 1/2
			IR3220-A	0.02 to 0.8	



ARJ AR425 to 935 ARX AMR ARM ARP IR□-A IR IRV VEX SRH SRP SRF ITV IC ITVH ITVX PVQ VY1 VBA VBAT AP100



#### Symbol



#### Basic type (Knob)

#### Standard Specifications

	Basic type (Knob)				
Model	IR12□0-A	IR22□0-A	IR32□0-A		
Fluid		Air			
Proof pressure		1.5 MPa			
Max. supply pressure		1.0 MPa			
Min. supply pressure Note 1)	Set pressure	Set pressure + 0.05 MPa			
	IR1200-A: 0.02 to 0.2 MPa	IR2200-A: 0.02 to 0.2 MPa	IR3200-A: 0.02 to 0.2 MPa		
Set pressure range	IR1210-A: 0.02 to 0.4 MPa	IR2210-A: 0.02 to 0.4 MPa	IR3210-A: 0.02 to 0.4 MPa		
	IR1220-A: 0.02 to 0.8 MPa	IR2220-A: 0.02 to 0.8 MPa	IR3220-A: 0.02 to 0.8 MPa		
Repeatability Note 2)		Within ±1% of full span			
Port size	1/8	1/4	1/4, 3/8, 1/2		
Pressure gauge port	1/8 (2 locations)				
Ambient and fluid temperature Note 3)		-5 to 60°C (No freezing)			
Weight (kg) Note 4)	0.13	0.23	0.47		

Note 1) When there is no flow rate on the outlet. (Refer to Operation 14) on

Note 2) Other characteristics such as aging deterioration and temperature characteristics are not included.

Note 3) -5 to 50°C for the products with the digital pressure switch Note 4) Without accessories

#### Accessories (Option)/Part No.

Description		IR12□0-A	IR22□0-A	IR32□0-A	
Bracket assembly Note 1)		IR10P-501AS	IR20P-501AS	IR30P-501AS	
Hexagon panel nut		IR10P-600S	IR20P-600S	IR20P-600S	
Round type	0.2 MPa setting	G33-2-□01	G43-2-□01	G43-2-□01	
pressure	0.4 MPa setting	G33-4-□01	G43-4-□01	G43-4-□01	
gauge Note 2)	0.8 MPa setting	G33-10-□01	G43-10-□01	G43-10-□01	
	NPN 1 output		ISE20-N-M-□01-L		
Digital pressure	PNP 1 output	t ISE20-P-M-□01-L		L	
switch Note 3)	NPN 2 outputs/ Voltage output	ISE20A-R-M-□01-J			
	NPN 2 outputs/ Current output	IS	E20A-S-M-□01	٦-	

Note 1) This is an assembly of the bracket and resin panel nut. Note 2) ☐ in part numbers for a round type pressure gauge indicates a type of connection thread. No indication is necessary for R; however, indicate N for NPT.

A 1.0 MPa pressure gauge is fitted for 0.8 MPa setting. Please contact SMC regarding the supply of pressure gauge with psi unit specifications.

Note 3)  $\square$  in part numbers for a digital pressure switch indicates a type of connection thread. No indication is necessary for R; however, indicate N for NPT. For details on handling digital pressure switch and specifications, refer to the Best Pneumatics No. 8. Please contact SMC regarding the supply of digital pressure switch with unit conversion function.


#### Modular Products and Accessories

Applicable products	Applicable size				
and accessories	IR1200-A series	IR2200-A series	IR3200-A series		
Filter	AF20-A	AF30-A	AF40-A		
Spacer	Y200-A	Y300-A	Y400-A		
Spacer with bracket	Y200T-A	Y300T-A	Y400T-A		

Refer to pages 427 and 430 for details of the modular applicable products and accessories. The former modular and mounting brackets can be used.



#### **How to Order**



• Option/Semi-standard: Select one each for a to e.

e Pressure unit Note 3

ZA

 Option/Semi-standard symbol: When more than one specification is required, indicate in alphanumeric order.



ARJ

AR425

to 935

ARX

Made to Order (Refer to page 786-1)

wade to Ord	wade to Order (rieler to page 700-1)		
Symbol	Specifications/Content		
10-	Clean series		
-X1	Non-grease specifications		
IRM□-	Manifold specifications		

					IRM□-	Manifold spec	ifications
_	_					0	
			Symbol	Description		Body size	
					1	2	3
			0	0.02 to 0.2 MPa	•	•	•
5	Set p	ressure range	1	0.02 to 0.4 MPa	•	•	•
			2	0.02 to 0.8 MPa	•	•	•
			+				
			0	Bottom exhaust	•	•	•
	Exh	aust direction	1	Front exhaust			•
			2	Rear exhaust	<u> </u>		•
			+				
			Nil	Rc	•	•	•
	Pip	e thread type	N	NPT	•	•	•
			F	G	<b>•</b>	•	•
			+				
			01	1/8	<u> </u>	_	
		Port size	02	1/4		•	•
		. 0.1 0.20	03	3/8			
			04	1/2			
_		1	+				
			Nil B Note 2)	Without mounting option	•	•	•
	а	Mounting		With bracket	•	•	•
=			Н	With hexagon panel nut (for panel mount)	•	•	•
ote			+	AARIA .	_		
۲ ا		Pressure gauge	Nil	Without pressure gauge		•	•
≗   G			Round type pressure gauge	•	•	•	
ō	b	1400 0 0	EA	NPN open collector 1 output	<del>  •</del>	-	•
		With digital EB pressure switch EC		PNP open collector 1 output		•	
	ED NPN open collector 2 outputs + Analog current output		NPN open collector 2 outputs + Analog voltage output	•	•	•	
			+ +	in in open collector 2 outputs + Analog current output		•	
			+ Nil	Flow direction: Left to right	•	•	_
	С	Flow direction	R	Flow direction: Left to right Flow direction: Right to left			
Ģ			K	Flow direction. Fight to left		•	
dar			+ Nil	Upward	•	•	•
tan	d	Knob	V	Downward		+ +	<del></del>
Semi-standard			+	Downwaru			
em			Nil	Name plate and pressure gauge in imperial units: MPa	•	•	
S		D 's Note 2)	11111	Name plate and pressure gauge in imperial units. MFa			

Note 1) Options are shipped together with the product, but not assembled. B and H cannot be selected at the same time. The current bracket cannot be used for this product. Note 2) Assembly of a bracket and set nuts.

Name plate and pressure gauge in imperial units: psi

Digital pressure switch: With unit conversion function

Note 3) Se	e pressure	unit table below.				
	Pipe thread	Name plate	Pressure gauge	in imperial units	Sales Note 6)	
	type	in imperial units	G	EA, EB, EC, ED	Sales	
	Rc					
Nil	NPT	MPa	MPa	Fixed SI unit	Japan, Overseas	
	G				Overseas	
	Rc	_	_	_		
Z Note 4)	NPT	psi	psi	With unit conversion function (Initial value psi)	Only overseas	
	G	_	_	_		ŀ
	Rc			With unit conversion		'n
ZA Note 5)	NPT	MPa	_	function	Only overseas	,
	G			Turiotion		


Note 4) For pipe thread type: NPT


Note 5) For options: EA, EB, EC, ED

Note 6) According to the new Measurement Law, only the SI unit type is provided for use in Japan.


#### IR1200-A Series


\* The data shown below are representative values, and are not guaranteed.






#### Pressure Characteristics









#### IR2200-A Series

\* The data shown below are representative values, and are not guaranteed.





## ARJ RAR425 to 935 ARX AMR ARM ARP


IR IRV


VY1


VBA VBAT

AP100

#### **Pressure Characteristics**









779


#### IR3200-A Series


\* The data shown below are representative values, and are not guaranteed.






#### Pressure Characteristics








#### Construction

#### Basic type (Knob): IR22□0-A



#### Working principle

When the knob is rotated, the flapper is pushed through the spring, and a gap is generated between the nozzle and flapper. The supply pressure flows to the inlet passes through the path between the nozzle and flapper and acts on the supply diaphragm as nozzle back pressure. The force generated by the diaphragm pushes down the valve, and the supply pressure flows to the outlet. The discharged air pressure acts on the exhaust diaphragm, and counteracts against the force generated by the supply diaphragm. The air pressure acts on the nozzle diaphragm at the same time, and counteracts against the compression force of the spring to adjust the set pressure. When the set pressure increases too much, the nozzle diaphragm is pushed up, and a gap is generated between the flapper and nozzle diaphragm after the flapper is closed. The balance of the supply diaphragm and exhaust diaphragm is lost when the nozzle back pressure flows into the atmosphere. The exhaust valve is open after the valve is closed, and excess pressure on the outlet is released to the air. Due to this pilot mechanism, pressure variations are detected and pressure adjustment is possible.

#### **Component Parts**

No.	Description		Material	
INO.	Description	IR1200-A	IR2200-A	IR3200-A
1	Bonnet	Aluminum die-casted		
2	Nozzle diaphragm assembly	Aluminum, Weather resistant NBR		
3	Seal	HNBR		
4	Seal	NBR		
5	Diaphragm spacer	Polyacetal		
6	Supply diaphragm	Weather resistant NBR —		
7	Exhaust diaphragm assembly	Steel, Aluminum, Weather resistant NBR Aluminum, Weather resistant NBR, HNE		
8	Valve assembly	Stainless steel, Aluminum, HNBR Aluminum, HNBR		
9	Body	Aluminum die-casted		

AR425 to 935

ARX AMR

ARM ARP

R∎-A IR

IRV VEX

SRH

SRF

ITV IC

ITVH

ITVX PVQ

VY1

VBA VBAT


-

#### Construction

#### Basic type (Knob): IR12□0-A



IN side passage






**OUT** side passage

#### Basic type (Knob): IR32□0-A



IN side passage






OUT side passage

#### Basic type (Knob): IR32□2-A



IN side passage






OUT side passage

#### **Dimensions**

#### Basic type (Knob): IR12□0-□01□-A





(Option)




Mounting hole for hexagon panel nut









IR IRV

IR□-A


VEX SRH


SRP

SRF

When connecting to the EXH port, contact your SMC sales representative separately.

#### With digital pressure switch: IR12□0-□01□E□-A





ITV IC

ITVH

ITVX


PVQ VY1

VBA VBAT AP100

**SMC** 

#### **Dimensions**

#### Basic type (Knob): IR22□0-□02□-A



60.5

When connecting to the EXH port, contact your SMC sales representative separately.


EXH

#### With digital pressure switch: IR22□0-□02□E□-A

**EXH** 

2 x 1/8

Pressure gauge port



91.7

65.3

42

Exhaust port

EXH


161

#### **Dimensions**

Pressure gauge port

IN.

#### Basic type (Knob): IR32□0-□0□□-A



76.1

84

OUT



AR425 to 935 ARX

ARJ

ARM

ARP R■-A

IR IRV

VEX

SRP


SRF

IC ITVH

ITVX

PVQ VY1


VBA VBAT



#### With digital pressure switch: IR32□0-□0□□E□-A

EXH

□66




2 x 1/4 to 1/2


Port size

#### **Dimensions**

#### Basic type (Knob): IR32□2-□0□□-A




#### With digital pressure switch: IR32□½-□0□□E□-A



#### Made to Order










Note 1) Assembly is performed in a general assembly environment.

Note 2) Parts are not washed.

Note 3) Fluorine grease is used on some of the wetted parts (sliding parts) and non-wetted parts (threaded part on the setting knob).



Specifications			
Stations	2 to 8 stations		
	Common SUP	IR1200-A series: 1/4, IR2200-A series: 1/2	
Port	Individual OUT	IR1200-A series: 1/8, IR2200-A series: 1/4	
	Individual EXH (From IR body)		
Set pressure	0.2 MPa, 0.4 MPa and 0.8 MPa settings can be combined.		
Accessory (Pressure gauge)	G33-□-01(IR1200-A series), G43-□-01(IR2200-A series)		

Note 1) Regulators to be manifolded are counted starting from stations 1 on the left side with the OUT ports in front.

Note 2) When regulators with a different set pressure are manifolded, viewing OUT ports from front, the low pressure range is installed on the left side and high pressure range is on the right side. In case of the Example 2) above mentioned, stations 1 and 2 are of 0.2 MPa setting, stations 3 and 4 are of 0.4 MPa setting, and station 5 is of 0.8 MPa setting.

Note 3) For the model with pressure gauge (G), the pressure gauge is shipped together, but not assembled.

VBA VBAT AP100





## IR1200-A/2200-A/3200-A Series Specific Product Precautions 1

Be sure to read this before handling the products.

Refer to back page 50 for Safety Instructions and pages 387 to 391 for F.R.L. Precautions.

**Piping** 

#### **⚠** Warning


 Screw piping together with the recommended proper torque while holding the side with the female threads.

Looseness or faulty sealing will occur if tightening torque is insufficient, while thread damage will result if the torque is excessive

Furthermore, if the side with the female threads is not held while tightening, excessive force will be applied directly to piping brackets, etc., causing damage or other problems.


Recommended Proper Torque [N·m]				
Connection thread	1/8	1/4	3/8	1/2 Note)
Torque	7 to 9	12 to 14	22 to 24	28 to 30

Note) Tightening force for connecting to the EXH port of IR32 $\square_2^1$ -A is 8 to 10 N·m.



Do not allow twisting or bending moment to be applied other than the weight of the equipment.

Provide separate support for external piping, as damage may otherwise occur.



Piping materials without flexibility such as steel tube piping are prone to be effected by excess moment load and vibration from the piping side. Use flexible tubing in between to avoid such an effect.

#### **∧** Caution

1. Preparation before piping

Before piping is connected, it should be thoroughly blown out with air (flushing) or washed to remove chips, cutting oil and other debris from inside the pipe.

**Piping** 

#### **∧** Caution

2. Winding of sealant tape

When screwing piping or fittings into ports, ensure that metal chips from the pipe threads or sealing material do not enter the piping. Also, when the sealant tape is used, leave 1.5 to 2 thread ridges exposed at the end of the threads.



**Operating Environment** 

#### 

- Do not use in an atmosphere having corrosive gases, chemicals, sea water, water, water steam, or where there is direct contact with any of these.
- 2. Do not operate in locations where vibration or impact occurs.
- In locations which receive direct sunlight, provide a protective cover, etc.
- In locations near heat sources, block off any radiated heat.
- In locations where there is contact with spatter from water, oil or solder, etc., implement suitable protective measures.

Air Supply

#### **⚠** Warning

- Please consult with SMC when using the product in applications other than compressed air.
- Do not use compressed air which includes chemicals, synthetic oils containing organic solvents, salt or corrosive gases, etc., as this can cause damage or malfunction.
- If condensate in the drain bowl is not emptied on a regular basis, the bowl will overflow and allow the condensate to enter the outlet side. This will cause a malfunction of pneumatic equipment.

When removing drain is difficult, use of a filter with an auto drain is recommended.

#### **⚠** Caution

- Condensate or dust, etc. in the supply pressure line can cause malfunctions. In addition to an air filter (SMC AF series, etc.), please use a mist separator (SMC AM, AFM series) depending on the conditions. Refer to "Air Preparation Equipment Model Selection Guide"
- (pages 2 and 3) for air quality.2. When a lubricator is used at the supply side of the product, it can cause malfunctions. Do not

use a lubricator at the supply side of the product.

If lubrication is required for terminal devices, connect a lubricator on the output side of the regulator.

**SMC** 

ARJ

AR425 to 935

AMR

ARP

IR

IRV

VEX

, SRP , SRF

ITV

IC

ITVH

PVQ

VY1 VBA

AP100



## IR1200-A/2200-A/3200-A Series Specific Product Precautions 2

Be sure to read this before handling the products.

Refer to back page 50 for Safety Instructions and pages 387 to 391 for F.R.L. Precautions.

#### Maintenance

#### **⚠** Warning

- When the product is removed for maintenance, reduce the set pressure to "0" and shut off the supply pressure completely beforehand.
- 2. When a pressure gauge is to be mounted, remove the plug after reducing the set pressure to "0".
- When using the regulator between a solenoid valve and an actuator, check the pressure gauge periodically. Sudden pressure fluctuations may shorten the durability of the pressure gauge.

A digital pressure gauge is recommended for such situation or as deemed necessary.

#### Handling

#### 

 When the regulator with pressure gauge is used, do not apply impact to the product by dropping it, etc. during transportation or installation.

This may cause misalignment of the pressure gauge pointer.

#### Operation

#### **∧** Caution

- Do not use a regulator outside the range of its specifications as this can cause failure. (Refer to the specifications.)
- When mounting is performed, make connections while confirming port indications.
- When mounting the bracket or tightening the hexagon panel nut on the panel, tighten them to the recommended proper torque.

Looseness or faulty sealing will occur if tightening torque is insufficient, while thread damage will result if the torque is excessive.

#### Recommended Proper Torque (N·m)

Set nut (for bracket)

IR12□0-A	IR22□0-A	IR32□□-A
	2.0±0.2	

Hexagon panel nut (for knob type only)

IR12□0-A	IR22□0-A	IR32□□-A
3.5±0.5		

- 4. To set the pressure using the knob, turn the knob in the direction that increases pressure and be sure to tighten the lock nut after the pressure is adjusted. When tightening the nut, tighten so that the knob does not move due to friction caused by tightening.
- 5. If the pressure is set in the direction that decreases pressure, the pressure may drop from the original set pressure. Turning the knob clockwise increases the outlet pressure, and turning it counterclockwise reduces the pressure.
- When pressure is applied to the inlet of a regulator, make sure that the output is connected to the circuit. Air blow occurs from the outlet and it depends on the operating conditions.

#### Operation

#### 

- The set pressure may vary depending on the elapsed time and change in ambient temperature after pressure setting. If the setting value varies, adjust with the knob.
- If the directional control valve (solenoid valve, mechanical valve, etc.) is mounted and ON-OFF is repeated for a long time, the set pressure may vary. If the setting value varies, adjust with the knob.
- There may be pulsation or noise depending on the pressure conditions, piping conditions and ambient environment. In this case, it is possible to improve the problem by changing the pressure conditions and piping conditions.

If the problem is not improved, contact your SMC sales representative.

- 10. The capacity of the output side is large, and when used for the purpose of a relief function, the exhaust sound will be loud when being relieved. Therefore, operate with a silencer (SMC AN series, etc.) mounted on the exhaust port (EXH port). When using the IR1200-A and 2200-A series, contact your
  - When using the IR1200-A and 2200-A series, contact your SMC sales representative.
- When installing a pressure gauge to the product, do not apply pressure more than the maximum display pressure. This will cause a malfunction.
- When using a regulator between a solenoid valve and cylinder, caution should be taken regarding the following points.
  - The residual pressure of the cylinder will be exhausted from the regulator's exhaust port. (Depending on the conditions, partial backflow may occur.)
  - When holding pressure at the intermediate position of a closed center solenoid valve, due to reduced pilot pressure the pressure inside the cylinder will not be able to be held because the regulator will perform an exhaust operation. If it is necessary for the pressure inside the cylinder to be held, please consider using in combination with a separate shut-off valve.
  - When releasing pressure at the intermediate position of an exhaust center solenoid valve, depending on the conditions, vacuum pressure may remain inside the cylinder. If the introduction of atmospheric pressure is required, please consider using in combination with a separate atmospheric pressure introduction valve.
- 13. When using the IR3200-A series in balancing applications, abnormal noises may occur depending on the pressure and circuit conditions. In such cases, the noise will often cease if changes are made to the pressure or piping conditions or if a high noise reduction type silencer (such as SMC's ANA1 series, etc.) is installed.
- 14. The min. supply pressure is the min. required supply pressure for when there is no flow on the output side. If flow is to be used, or if the volume on the outlet side is large, supply pressure with sufficient margins in regards to the set pressure if responsiveness is required.
- 15. When a precision regulator is used in applications in which back pressure is frequently applied or when it is used in environments where vibration is present or pulsations are present in the set pressure, wear of the exhaust valve may be accelerated, resulting in increased premature exhaust leakage.